





D.N.S YESON GROUP

Hebei Yeson International Trading Co.,Ltd Aping Yeson Wire Mesh Products Co.,Ltd

Add: NO.95 Qilian Street, Shijiazhuang, China. TEL: 0086 311 67695456 FAX: 0086 311 67695455 Email: admin@hbyeson.com

www.yesonwiremesh.com www.hbyesonsteel.com https://yesonwiremesh.en.alibaba.com

D.N.S YESON GROUP

HEBEI YESON INTERNATIONAL TRADING CO.,LTD ANPING YESON WIRE MESH PROUDUCTS CO.,LTD Add: NO.95 Qilian Street, Shijiazhuang, China.

COMPANY PROFILIE

D.N.S Yeson Group was founded in 2008. We are an international business group specializing in the producing and exporting of garden products, construction materials, hardware, fencing, machinery, equipment and so on. As the business continues to grow every year Yeson Group has become one of the leading import and export companies in China.

Now we have three branches in China and abroad with professional wire mesh factory, steel plate factory and professional import and export trading company. All products have obtained certificates such as CE , SGS , and ISO9001. Meanwhile, we are continuously acquiring related factories according to market changes to increase the Group's competitive advantage.


Yeson Group's value is based on integrity, quality, efficiency and excellence. We are proud of our ambitious, creative, young and well-trained team. Through professional and scientific operations we will continue to provide high-quality products, competitive prices and professional export services to all new and old customers.

TABLE OF CONTENT

COMPANY PROFILE	01
TABLE OF CONTENT	02
MULTI-PURPOSE GARDEN FENCE	03
ANIMAL BARRIER FENCE	04
NO DIG DECORATIVE GARDEN FENCE	05
CHICKEN WIRE CLOCHE	06
FENCE GATE	07
WELDED WIRE MESH	08
U POST+STUD T POST	09
Y POST+T POST	10
SOLAR PANEL GUARD	11
GABION FENCING MESH	12
POST CLIPS	13
GARDEN RAISED BED	14
CHICKEN WIRE	15
METAL PLANT TRELLIS	16
GREEN HOUSES	17
GARDEN NETTING	18
GARDEN STAKES STAPLES	19
PLANT TIES	20








MULTI-PURPOSE GARDEN FENCE

This garden wire fence is a structure used to surround gardens or courtyards with the main purpose of defining boundaries and protecting the plants and space within the garden. The presence of wire fence not only enhances the beauty of the garden but also serves a protection purpose of pet. Firstly, it helps prevent unwanted animals from entering the garden and avoids them from damaging plants or causing chaos. Secondly, the garden fence provides a boundary to protect the plants within the garden from strong winds or other harsh weather conditions. Thirdly, it can be spliced into different sizes and shapes according to your garden shape and the needs of different occasions, easy to change the layout. One of the metal panels is equipped with a latch so that this panel can be used as a flexible door.

MULTI-PURPOSE GARDEN FENCE				
Mesh (mm)	Wire thickness (mm)	Height (mm)	Bend	Width (mm)
200×50	4/5	630	2	762/914
200×50	4/5	830	2	762/914
200x50	4/5	1030	2	762/914
200x50	4/5	1230	2	762/914


















ANIMAL BARRIER FENCE


Animal Barrier Fence is a revolutionary product designed to address the issue of digging animals, such as dogs, from escaping or entering restricted areas. With a simple yet effective design, Animal Barrier Fence acts as an underground barrier, preventing animals from digging under fences and boundaries. The Animal Barrier Fence system consists of durable and rust-resistant metal panels that are inserted into the ground along the perimeter of the desired area. These panels extend vertically and horizontally, creating an impenetrable barrier that no digging creature can overcome. The innovative design utilizes the animal's own natural instinct to dig by redirecting their efforts away from the protected area.

ANIMAL BARRIER FENCE				
Wire Thickness	Hole Size	Horizontal Wire	Panel Size	Color
5.0mm	2 inch	2 Line	24inch x 15inch	Black,Green,
5.0mm	2 inch	3 Line	24inch x 15inch	Grey are available





















It was crafted with premium quality materials to ensures durability and longevity. Its sturdy construction provides reliable support, preventing intrusions from unwanted pests or animals. With its elegant design and various color options, this fence effortlessly adds a touch of sophistication to your outdoor space.

The installation is a breeze - simply insert the stakes into the ground and connect the fence panels together. No heavy equipment or special skills are required. Its modular design allows for customization, enabling you to adjust the size and shape according to your preferences.

This garden fence not only serves as a protective barrier but also a beautiful decorative element. Its intricate patterns and appealing aesthetics effortlessly complement any landscape or garden style. The low maintenance feature guarantees long-lasting beauty without the need for regular upkeep.


Product Details:

- Powder coated (different color)
- 27.5" H x 24" L
- · Wire thickness 4mm
- · Connected by stakes



















The Chicken Wire Cloche is a versatile garden protection device designed to safeguard and enhance the growth of plants. Made from sturdy and durable steel wire, it takes on the shape of a small, dome-like structure suitable for both indoor and outdoor planting environments.

This Cloche features a unique and elegant design that adds a touch of sophistication to your flower beds and gardens. It provides ample ventilation and transparency through its tightly woven wire mesh, allowing sunlight, air, and water to penetrate the plant's growing area seamlessly.

The Chicken Wire Cloche is easy to install and dismantle, making it perfect for gardening enthusiasts and professional gardeners alike. It is not limited to flower beds and gardens but can also be utilized to protect small plants indoors, such as in greenhouses, balconies, or rooftop gardens. The Chicken Wire Cloche is not only provides the ideal growing environment for plants but also adds a distinct charm to your gardening space. Whether you are an amateur enthusiast or a seasoned horticulturist, the Chicken Wire Cloche is your ideal gardening partner.

Product Size a.Bottom diameter: 13 inch b.Height: 15.7 inch













FENCE GATE

Panel Gate Square is universal for both 2D and 3D panel using quadrate posts. Available in single and double version. Mesh opening match most panel fences.

FENCE GATE					
Nominal width	Nominal height	Gate post	Gate post length	Frame profile	Infill
mm	mm	mm	mm	mm	mm
1000	1000	60x60x2.0	1500	40x40	200x55x5.0
1000	1200	60x60x2.0	1700	40x40	200x55x5.0
1000	1500	60x60x2.0	2000	40x40	200x55x5.0
1000	1800	60x60x2.0	2300	40x40	200x55x5.0
1000	2000	60x60x2.0	2500	40x40	200x55x5.0
1200	1000	60x60x2.0	1500	40x40	200x55x5.0
1200	1200	60x60x2.0	1700	40x40	200x55x5.0
1200	1500	60x60x2.0	2000	40x40	200x55x5.0
1200	1800	60x60x2.0	2300	40x40	200x55x5.0
1200	2000	60x60x2.0	2500	40x40	200x55x5.0
3000	1000	80x80x2.0	1500	40x40	200x55x5.0
3000	1200	80x80x2.0	1700	40x40	200x55x5.0
3000	1500	80x80x2.0	2000	40x40	200x55x5.0
3000	1800	80x80x2.0	2300	40x40	200x55x5.0
3000	2000	80x80x2.0	2500	40x40	200x55x5.0
4000	1000	100x100x2.5	1500	40x40	200x55x5.0
4000	1200	100x100x2.5	1700	40x40	200x55x5.0
4000	1500	100x100x2.5	2000	40×40	200x55x5.0
4000	1800	100×100×2.5	2300	40x40	200x55x5.0
4000	2000	100x100x2.5	2500	40x40	200x55x5.0















WELDED WIRE MESH

WELDED WIRE MESH also called aviary mesh or hardware cloth, is a prefabricated grid of low carbon steel wires. These wires were welded together at each intersection, then either hot dip galvanized or coated with plastic material, providing a highly durable and uniformly structured material suitable for a variety of applications in garden, house and small animals.

	Hole size	Wire d	liameter	Width & Length
In Inch	In mm	In BWG	In mm	
1/2"x1/2"	12.7x12.7mm	BWG16-BWG28	1.65mm-0.356mm	
3/4"x3/4"	19.05×19.05mm	BWG16-BWG27	1.65mm-0.406mm	Width:0.5-2.0m Length:25m,30m Other sizes can be made as reques
1"x1"	25.4x25.4mm	BWG14-BWG20	2.1mm-0.88mm	
1" x 2"	25.4x50.8mm	BWG14-BWG19	2.1mm-1.06mm	
2"x2"	50.8x50.8mm	BWG12-BWG18	2.76mm-1.24mm	
2" x 4"	50.8mmx101.6mm	BWG10-BWG18	3.4mm-1.24mm	
1/4"x1/4"	6.35x6.35mm	BWG19-BWG24	1.06mm-0.56mm	
3/8"x3/8"	9.52x9.52mm	BWG18-BWG27	1.24mm-0.406mm	
5/8"x5/8"	16x16mm	BWG18-BWG27	1.24mm-0.406mm	



















U POST

U POST is made from high tensile steel coil profile into U shape, with pre stamped holes and hooks on it to allow you to attach and secure your fencing products. No digging required, just drive it into the ground. Anchor plate proved extra stability. It is the easiest solution to install a light duty fence or support plants.

FINISH: Polyester powder coated

U POST		
Length foot	Weight lbs	
3'	1.4	
4'	1.9	
5'	2.4	
6'	2.8	
5'	4.1	
6'	4.8	
7'	5.7	
8'	6.5	








STUD T POST

STUD T POST is made from heavy duty steel billet by hot rolling process, then finished with a protective finish durable for years of use. The anchor plate attached on bottom of the post provides more power for griping the earth firmly. The consistent studs together with special designed clips could hold the wire or fence in position. This post is popular used for fencing and horticulture and vin yards.







Length foot	Weight lbs/ft
5'	0.95
5.5'	0.95
6'	0.95
6.5'	0.95
7'	0.95
8'	0.95
5'	1.08
5.5'	1.08
6'	1.08
6.5'	1.08
7'	1.08
8'	1.08
5'	1.25
5.5'	1.25
6'	1.25
6.5'	1.25
7'	1.25
8'	1.25
5'	1.33
5.5'	1.33
6'	1.33
6.5'	1.33
7'	1.33
8'	1.33

STUD T POST








Y POST

T30x30

125x25


L25x25

Y STAR POST also popular known as star picket, is made from heavy duty steel billet by hot rolling process, then coated by bitumen, it could last for years of use. The sharp end makes it easy to be drive into ground. The pre drilled holes make it easy to fix either fences or barb wire. It is the most popular post used in Australia and New Zealand.



T POST is polyester coated steel profile laminated from special steel billet. Due to the special chemical composition of this steel billet, T post is super stronger than normal T profile. With pre stamped holes, it is very easy to install and level the fence. L stay is an equal angle beam attached between T post and ground to give extra support to T post. T post is popular budget option to install chain link fence and euro fence in Italian and French market.









Y POST

Length mm

1350

1500

1650

1800

2100

2400

1350

1500

1650

1800

2100

2400

1350

1500

1650

1800

2100

2400

Weight kg/m

1.58

1.58

1.58

1.58

1.58

1.58

1.80

1.80

1.80

1.80

1.80

1.80

2.04

2.04

2.04

2.04

2.04

2.04

Length foot

4'5"

5'

6

4'5"

5'6"

6

7'

8'

4'5"

5'

5'6"







SOLAR PANEL GUARD

This clip and wire mesh system prevents pest birds and animals from getting behind the solar panels and damaging the electrical or mechanical systems. The black PVC coated wire with 1/2 inch hole is fastened to the outside perimeter of the panels with a specialized clip that slips over the lip of the solar panel frame. Use a clip every 20 inch or less. This no drill solution provides long lasting and discreet exclusion.

Bird Screen Solar Panel Barrier will allow the maximum amount of air flow into and out of the area under the solar arrays. Along with birds & squirrels, it keeps out debris that could get stuck under the solar array and create a fire hazard.

Black 1/2" Mesh and Solar Panel Clips are sold separately.

SOLAR PANEL GUARD		
Item #	Description	
WMPVC6X100	Solar Guard Black 1/2" mesh, 6" x 100' roll	
WMPVC8X100	Solar Guard Black 1/2" mesh, 8"x100' roll	



















GABION FENCING MESH

Welded Gabion are made from flexible, lightweight, galvanized steel wire mesh that allows for machine filling, holds the alignment of the face. Welded gabions are faster


This allows them to keep their shape, to be free from bulges and depressions and fit easily against the wall. Welded Gabion are used in many situations including the stabilization of earth movement and erosion, river control,

reservoirs, canal refurbishment, landscaping, retaining walls and compound design























POST CLIPS

Post Clips were crafted from high-quality low-carbon steel, hot-dip zinc-treated for powerful corrosion resistance, ensuring years of reliable use. It was made from 10-gauge wire to ensure durability and sturdiness. This kind post wire clips are versatile, fitting T-posts, U-posts, Y-posts, round posts, and more, meeting the varied needs of most sellers.

Products Details: Wire Thickness: 10 Gauge Surface: Heavy zinc coating





GARDEN RAISED BED

It is an innovative solution for your gardening needs. This sturdy and durable raised bed is constructed with high-quality metal, ensuring longevity and resistance to weather elements.

Designed with versatility in mind, this raised bed can be used for various purposes, including growing flowers, herbs, vegetables, or even as a decorative element in your garden. Its spacious dimensions allow for ample planting space, enabling you to create a flourishing and vibrant garden.

Assembly is quick and easy, thanks to the user-friendly design that requires no specialized tools. The metal construction ensures stability and strength, offering peace of mind knowing your garden will remain secure and intact.

Product Details:

- Heavy Aluzinc coated , Smooth edge, Stainless steel hardware
- Open at bottom
- 12" H x 48" L x 24" W
- Planting depth: 12"
- Assembly required

















Hexagonal wire netting is also known as chicken wire, chicken fencing and hex wire mesh, it was manufactured from steel wire which is then galvanized with zinc coating that provides the metal with a corrosion-resistant surface. If you opt for the PVC-coated version, the wire was to be galvanized and then coated with the PVC layer which offers added protection and weatherproofing.

We offer a range of different lengths, heights, holes sizes and wire thicknesses throughout our chicken wire range. We also offer the majority of our roll sizes in the green PVC coated finish.

			CHICKEN WIRE	C		
Length Per I	n Per Roll	Width	Gauge	Wire (ig Size	Openin
	Meter	Feet	mm	BWG	mm	Inch
	0.3m - 1.83m	1ft - 6ft	0.41-0.64	BWG 27-23	10	3/8"
	0.3m - 1.83m	1ft - 6ft	0.41-0.71	BWG 27-22	13	1/2"
	0.3m - 1.83m	1ft - 6ft	0.41-0.71	BWG 27-22	16	5/8"
	0.3m - 1.83m	1ft - 6ft	0.51-1.06	BWG 25-19	19	3/4"
	0.3m - 1.83m	1ft - 6ft	0.51-1.24	BWG 25-18	25	1"
25m,30m,4	0.3m - 1.83m	1ft - 6ft	0.51-1.24	BWG 24-18	31	11/4"
	0.3m - 1.83m	1ft - 6ft	0.64-1.65	BWG 23-16	40	11/2"
	0.3m - 1.83m	1ft - 6ft	0.71-2.11	BWG 22-14	51	2"
	0.3m - 1.83m	1ft - 6ft	0.71-2.11	BWG 22-14	65	21/2"
	0.3m - 1.83m	1ft - 6ft	0.81-2.11	BWG 21-14	76	3"
	0.3m - 1.83m	1ft - 6ft	0.89-2.80	BWG 20-12	100	4"

Surface treatment: electric galvanized before weaving, hot-dipped galvanized before weaving, hot-dipped galvanized after weaving, PVC coated.

The specifications can be customized according to your special requirements.











METAL PLANT TRELLIS

The intricate design of the metal plant trellis provides a sturdy framework for vines, creepers, and other climbing plants to latch onto and grow upward. By guiding the plants along the trellis, you can create stunning green walls, privacy screens, or living partitions in your garden or outdoor space.

Not only do metal plant trellises add a touch of sophistication to your landscape, but they also help optimize space by encouraging vertical growth. This vertical gardening solution is ideal for maximizing small garden plots, balconies, or patios, allowing you to enjoy lush greenery without sacrificing precious floor space.

Product Details:

- 14mm steel tube
- 71" L x 16" W x 71" H
- Assembly required



















GREEN HOUSES

These structures offer a nurturing space where you can grow a wide variety of flowers, herbs, and other greenery with precision and care. The transparent walls and roof of greenhouses allow sunlight to enter freely while trapping heat, creating a warm and stable microclimate that promotes optimal growth. This controlled environment protects your plants from harsh weather conditions, pests, and other external threats, helping them thrive year-round.

With the ability to regulate temperature, humidity, and ventilation, greenhouses provide the perfect conditions for cultivating delicate flowers and herbs that may be challenging to grow outdoors. Whether you're a seasoned gardener or a beginner, these structures offer a versatile and efficient way to expand your gardening possibilities.

Product Details:

- Double Roller Zipper Doors
- · transparent walls and roof
- 56.7" (L) x 18.9" (W) x 59" (H)
- 17-inch gap each tier
- · Each tier with shelves
- · Assembly required















GARDEN NETTING

The ultimate solution to protect your flowers and fruits from bird damage. This durable and lightweight netting is specifically designed to create a barrier that effectively deters birds from accessing your precious plants.

The fine mesh construction of the garden netting ensures that it not only keeps birds out but also allows sunlight, air, and water to reach your plants unhindered. This means your flowers can bloom and your fruits can ripen naturally while remaining safe from pecking and nibbling birds.

Easy to install and versatile in its application, this garden netting can be draped over trees, shrubs, bushes, or even laid directly onto garden beds. Its weather-resistant material ensures long-lasting protection, allowing you to enjoy a bountiful harvest without the fear of bird damage.

Product Details:

- Materials: PA
- Size: 3 x 8M or 5 x 10M
- · Hole: 20*20mm




















GARDEN STAKES STAPLES

Garden Stakes Staples are essential accessories for securing garden stakes firmly in the ground. These durable staples are made of high-quality metal and have a sharp end for easy insertion into the soil. They are designed to provide strong support for various types of garden stakes, helping to keep plants, vines, and flowers upright and stable. Garden Stakes Staples are a practical and reliable solution for ensuring the success of your gardening projects.


Products Details

Wire Thickness: 11 Gauge Surface: Heavy zinc coating



PLANT TIES

Plant ties are used to secure plants to stakes or other supporting structures, ensuring that they grow in an upright position and avoid bending or breaking under the weight of their flowers or fruits. They can be used for various types of plants including flowers, vegetables, and shrubs.











SMALL COIL BLACK ANNEALED WIRE			
Wire diameter	Weight	Coils/Carton	
1.2mm	1KG	20	
1.6mm	1KG	20	

SMALL COIL GALVANIZED WIRE

Wire diameter	Length/Weight	Coils/Carton
0.7mm	100M/500G	
0.9mm	50M/500G	
1.2mm	50M/500G	
1.3mm	50M/500G	220
1.6mm	50M/500G	
1.8mm	50M/500G	
2.0mm	50M/500G	



Wire diameter	Length	Coils/Carton
0.8mm	75M	
1.2mm	50M	20
1.4mm	50M	
1.6mm	50M	

















